


著作目録（林典夫）

著者	東北大学史料館
号	723
発行年	2000-03
URL	http://hdl.handle.net/10097/00065540

林 典 夫 教 授 著 作 目 録

平 成 12 年 3 月
東 北 大 学 記 念 資 料 室
(著 作 目 録 第 723 号)



林 典 夫 教 授 略 歴

生年月日	昭和11年12月 4 日
本 籍 地	静岡県
出 生 地	千葉県
所 属	東北大学大学院医学系研究科医科学専攻 医学生物化学講座医化学分野

学 歴

昭和36年 3 月	東北大学医学部医学科卒業
昭和41年 3 月	東北大学大学院医学研究科生理系専攻博士課程修了

学 位

昭和41年 3 月	医学博士（東北大学）
-----------	------------

受 賞

昭和51年 9 月	日本生化学会奨励賞
-----------	-----------

職 歴

昭和41年 4 月	日本学術振興会奨励研究員
昭和42年 4 月	東北大学医学部医化学第一講座助手
昭和46年 7 月	米国ノースウェスタン大学客員助教授（昭和48年 7 月まで）
昭和48年 8 月	東北大学医学部医化学第一講座講師
昭和52年 2 月	東北大学医学部医化学第一講座助教授

昭和60年 8 月	東北大学医学部医化学第二講座教授
平成 3 年12月	東北大学附属図書館医学分館長（平成 7 年11月まで）
平成 9 年 4 月	東北大学大学院医学系研究科医科学専攻医学生物化学講座医化学分野教授
平成12年 3 月	停年退職

学会ならびに社会における活動

昭和61年10月	日本生化学会評議員
昭和61年 4 月	大阪大学蛋白質研究所専門委員会委員（昭和63年 3 月まで）
平成 3 年 4 月	東北ジャーナル刊行会編集部長（平成 6 年 3 月まで）
平成 4 年 4 月	長陵医学振興財団監事（平成12年 3 月まで）
平成 4 年 9 月	日本生化学会理事（平成 6 年 8 月まで）
平成 5 年 4 月	日本科学技術情報センター医学情報委員会委員（平成 8 年 3 月まで）
平成 5 年 4 月	ポルフィリン研究会幹事
平成 6 年 9 月	日本生化学会東北支部長（平成 7 年 8 月まで）

著 作 目 録

1) 著 書

1. 疾患モデル動物ハンドブック (分担), 1979, 医歯薬出版。
2. 酵素ハンドブック (分担), 1982, 朝倉書店。
3. 化学実験ハンドブック, 第4版 (分担), 1984, 技報堂出版。
4. 続生化学実験講座, 第8巻, 血液 (上) (分担), 1987, 東京化学同人。
5. 新生化学実験講座, 第15巻, 代謝異常 (分担), 1992, 東京化学同人。
6. シンプル生化学 (共編著), 1993, 南江堂。
7. ポルフィリン・ヘムの生命科学 (共編著), 1995, 東京化学同人。
8. 遺伝子病マニュアル, 上 (分担), 1995, 中山書店。
9. 分子細胞生物学辞典 (分担), 1997, 東京化学同人。
10. 医学大辞典, 第18版 (分担), 1998, 南山堂。
11. 細胞機能と代謝マップ, Ⅲ. 細胞の代謝・物質の動態 (分担), 1997, 東京化学同人。

2) 論 文

(学術雑誌等に掲載のものを記載し, 口頭発表は除いた。)

1. Motokawa, Y., Hayashi, N., Kikuchi, G.
On the reactivity of hemoglobin M_{Iwate}
Arch. Biochem. Biophys., 105: 612-619 (1964)
2. Kikuchi, G., Hayashi, N., Tamura, A.
Oxygen equilibrium of hemoglobin M_{Iwate}
Biochim. Biophys. Acta., 90: 199-201 (1964)
3. Hayashi, N., Motokawa, Y., Kikuchi, G.
Studies on relationships between structure and function of hemoglobin M_{Iwate}
J. Biol. Chem., 241: 79-84 (1966)

4. 林 典夫 :
ヘモグロビン M_{fuate} の構造と機能との関係に関する研究.
東北医誌, 75: 131-133 (1967)
5. 林 典夫 :
ヘモグロビンの機能異常.
化学と生物, 5: 147-149 (1967)
6. Hayashi, N., Yoda, B., Kikuchi G.
Mechanism of allylisopropylacetamide-induced increase of δ -aminolevulinate synthetase in liver mitochondria. II. Effects of hemin and bilirubin on enzyme induction.
J. Biochem. (Tokyo), 63: 446-452 (1968)
7. Mihara, K., Hayashi, N., Kikuchi, G., Shibata, S.
Oxygen equilibrium of hemoglobin Hiroshima.
Biochem. Biophys. Res. Commun., 32: 763-769 (1968)
8. Hayashi, N., Yoda, B., Kikuchi G.
Mechanism of allylisopropylacetamide-induced increase of δ -aminolevulinate synthetase in liver mitochondria. IV. Accumulation of the enzyme in the soluble fraction of rat liver.
Arch. Biochem. Biophys., 131: 83-91 (1969)
9. Hayashi, N., Yoda, B., Kikuchi G.
Difference in molecular sizes of δ -aminolevulinate synthetases in the soluble and mitochondrial fractions of rat liver.
J. Biochem. (Tokyo), 67: 859-861 (1970)
10. Kurashima, Y., Hayashi, N., Kikuchi G.
Mechanism of inhibition by hemin of increase of δ -aminolevulinate synthetase in liver mitochondria.
J. Biochem. (Tokyo), 67: 863-865 (1970)
11. 菊地吾郎, 林 典夫 :
肝 δ -アミノレブリン酸合成酵素の誘導.
医学のあゆみ, 72: 103-107 (1970)
12. Hayashi, N., Kurashima, Y., Kikuchi G.
Mechanism of allylisopropylacetamide-induced increase of δ -aminolevulinate synthetase in liver mitochondria. V. Mechanism of regulation by hemin of the level of δ -aminolevulinate synthetase in rat liver mitochondria.
Arch. Biochem. Biophys., 148: 10-21 (1972)

13. Kikuchi G., Hayashi N., Ohashi, A., Kim, H.-J., Watarai, K.
Induction, intracellular transfer, and turnover of δ -aminolevulinate synthase in liver.
Intracellular Protein Turnover (Schimke, R.T. and Katunuma, N., eds.) pp.103-113, Academic Press, 1975.
14. Kikuchi, G., Ohashi, A., Hayashi, N.
Studies on the conversion of the cytosol δ -aminolevulinate synthetase to the mitochondrial enzyme.
Annal. Clin. Res., 8 (Suppl. 17): 74-82 (1976)
15. Igarashi, J., Hayashi, N., Kikuchi, G.
 δ -Aminolevulinate synthetases in the liver cytosol fraction and mitochondria of mice treated with allylisopropylacetamide and 3,5-dicarbethoxyl-1,4-dihydrocollidine.
J. Biochem. (Tokyo), 80: 1091-1099 (1976)
16. Igarashi, J., Hayashi, N., Kikuchi, G.
Effects of administration of cobalt chloride and cobalt protoporphyrin on δ -aminolevulinate synthase in rat liver.
J. Biochem. (Tokyo), 84: 997-1000 (1978)
17. 林 典夫:
肝ミトコンドリア δ -アミノレブリン酸合成酵素量の調節.
生化学, 51: 420-436 (1979)
18. Kikuchi, G., Hayashi, N., Yamauchi, K.
Regulation of synthesis and intracellular translocation of δ -aminolevulinate synthase in the liver.
New Horizons in Biological Chemistry (Koike, M., Nagatu, T., Okuda, J., & Ozawa, T. eds.) pp.179-190, Jap. Sci. Soc. Press, 1980.
19. Hayashi, N., Terasawa, M., Kikuchi, G.
Immunochemical studies of the turnover of δ -aminolevulinate synthase in rat liver mitochondria and the effect of hemin on it.
J. Biochem. (Tokyo), 88: 921-926 (1980)
20. Hayashi, N., Terasawa, M., Yamauchi, K., Kikuchi, G.
Effects of hemin on the synthesis and intracellular translocation of δ -aminolevulinate synthase in the liver of rats treated with 3,5-dicarbethoxy-1,4-dihydrocollidine.
J. Biochem. (Tokyo), 88: 1537-1543 (1980)

21. Yamauchi, K., Hayashi, N., Kikuchi, G.
Cell-free synthesis of rat liver δ -aminolevulinate synthase and possible occurrence of processing of the enzyme protein in the course of its translocation from the cytosol into the mitochondrial matrix.
FEBS Letters, 115: 15–18 (1980)
22. Nakakuki, M., Yamauchi, K., Hayashi, N., Kikuchi, G.
Purification and some properties of δ -aminolevulinate synthase from the rat liver cytosol fraction and immunochemical identity of the cytosolic enzyme and the mitochondrial enzyme.
J. Biol. Chem., 255: 1738–1745 (1980)
23. Yamauchi, K., Hayashi, N., Kikuchi, G.
Translocation of δ -aminolevulinate synthase from the cytosol to the mitochondria and its regulation by heme in the rat liver.
J. Biol. Chem., 255: 1746–1751 (1980)
24. Kikuchi G., Hayashi N.
Regulation by heme of synthesis and intracellular translocation of δ -aminolevulinate synthase in the liver.
Mol. Cell. Biochem. 37: 27–41 (1981)
25. Yamamoto, M., Hayashi, N., Kikuchi, G.
Regulation of synthesis and intracellular translocation of δ -aminolevulinate synthase by heme and its relation to the heme saturation of tryptophan pyrrolase in rat liver.
Arch. Biochem. Biophys., 209: 451–459 (1981)
26. 林 典夫 :
肝におけるヘム生合成のヘムによる調節に関する研究.
東北医誌, 94: 19–20 (1981)
27. Kikuchi, G., Hayashi, N.
Synthesis and translocation of mitochondrial matrix enzymes in higher animals with special reference to δ -aminolevulinate synthase.
Structure, Dynamics, and Biogenesis of Biomembranes (Sato, R., and Ohnishi, S., eds.) pp. 131–156, Jap. Sci. Soc. Press, 1982.
28. Yamamoto, M., Hayashi, N., Kikuchi, G.
Increase of liver heme concentration after the administration of insulin, glucagon and dibutyryl cyclic AMP to rats and its relevance to regulation of δ -aminolevulinate synthase.
Biochem. Int. 5: 747–754 (1982)

29. Yamamoto, M., Hayashi, N., Kikuchi, G.
Evidence for the transcriptional inhibition by heme of the synthesis of δ -aminolevulinate synthase in rat liver.
Biochem. Biophys. Res. Commun., 105: 985-990 (1982)
30. 菊地吾郎, 林 典夫 :
 δ -アミノレブリン酸合成酵素の誘導と細胞内移行.
 蛋核酵, 27: 1861-1826 (1982)
31. Watanabe, N., Hayashi, N., Kikuchi, G.
 δ -Aminolevulinate synthase isozymes in the liver and erythroid cells of chicken.
Biochem. Biophys. Res. Commun., 113: 377-383 (1983)
32. Yamamoto, M., Hayashi, N., Kikuchi, G.
Translational inhibition by heme of the synthesis of hepatic δ -aminolevulinate synthase in a cell-free system.
Biochem. Biophys. Res. Commun., 115: 225-231 (1983)
33. Hayashi, N., Watanabe, N., Kikuchi, G.
Inhibition by hemin of in vitro translocation of chicken liver δ -aminolevulinate synthase into mitochondria.
Biochem. Biophys. Res. Commun., 115: 700-706 (1983)
34. Watanabe, N., Hayashi, N., Kikuchi, G.
Relation of the extra-sequence of the precursor form of chicken liver δ -aminolevulinate synthase to its quaternary structure and catalytic properties.
Arch. Biochem. Biophys., 232: 118-126 (1984)
35. 林 典夫 :
ヘム合成系酵素の細胞内分布.
 細胞工学, 3: 192-204 (1984)
36. Yamamoto, M., Yew, N.S., Federspiel, M., Dodgson, J.B., Hayashi, N., Engel, J.D.
Isolation of recombinant cDNAs encoding chicken erythroid δ -aminolevulinate synthase.
Proc. Natl. Acad. Sci. USA, 82: 3702-3706 (1985)
37. Yamamoto, M., Fujita, H., Watanabe, N., Hayashi, N., Kikuchi, G.
An immunochemical study of δ -aminolevulinate synthase and δ -aminolevulinate dehydratase in liver and erythroid cells of rat.
Arch. Biochem. Biophys., 245: 76-83 (1986)

38. Fujita, H., Koizumi, A., Hayashi, N., Ikeda, M.
Reduced synthesis of 5-aminolevulinate dehydratase in styrene-treated rats.
Biochim. Biophys. Acta, 867: 89-96 (1986)
39. Aikawa, J., Isemura, M., Munakata, H., Ototani, N., Kodama, C., Hayashi, N., Kurosawa, K., Yoshinaga, K., Tada, K., Yosizawa, Z.
Isolation and characterization of chondroitin sulfate proteoglycans from porcine thoracic aorta.
Biochim. Biophys. Acta, 883: 83-90 (1986)
40. Isemura, M., Sato, N., Yamaguchi, Y., Aikawa, J., Munakata, H., Hayashi, N., Yosizawa, Z., Nakamura, T., Kubota, A., Arakawa, M.
Isolation and characterization of fibronectin-binding proteoglycan carrying both heparan sulfate and dermatan sulfate chains from human placenta.
J. Biol. Chem., 262: 8926-8933 (1987)
41. Yamada, T., Isemura, M., Yamaguchi, Y., Munakata, H., Hayashi, N., Kyogoku, M.
Immunohistochemical localization of fibronectin in the human placentas at their different stages of maturation.
Histochemistry, 86: 579-584 (1987)
42. Munakata, H., Hsu, C.C., Kodama, C., Aikawa, J., Sakurada, M., Ototani, N., Isemura, M., Yosizawa, Z., Hayashi, N.
Isolation of dermatan sulfate with high heparin cofactor II-mediated thrombin-inhibitory activity from porcine spleen.
Biochim. Biophys. Acta, 925: 325-331 (1987)
43. Munakata, H., Satoh, K., Kosakai, M., Aikawa, J., Isemura, M., Yosizawa, Z., Hayashi, N., Motomiya, M.
Isolation and characterization of a mucin-type glycoprotein from the lung lavage of a patient with alveolar proteinosis.
Int. J. Biochem. 19: 503-507 (1987)
44. 林 典夫 :
 ヘム合成およびその調節.
 蛋核酵, 32: 797-814 (1987)
45. Munakata, H., Hayashi, N., Yamaguchi, Y., Aoyagi, Y., Ichida, F., Isemura, M.
Biochemical evidence for the local synthesis and retention of fibronectin in the tissue of human placenta.
Int. J. Biochem., 20: 113-116 (1988)

46. Fukuda, I., Toyota, T., Munakata, H., Hayashi, N.
Partial purification of a β -glucan-like component as a likely candidate for the Limulus factor G stimulator in the plasma of patients with hepatic failure.
Jap. J. Med Sci Biol., 43: 275-276 (1990)
47. Fujita, H., Yamamoto, M., Yamagami, T., Hayashi, N., Bishop, T.R., De Verneuil, H., Yoshinaga, T., Shibahara, S., Morimoto, R., and Sassa, S.
Sequential activation of genes for heme pathway enzymes during erythroid differentiation of mouse Friend virus-transformed erythroleukemia cells.
Biochim. Biophys. Acta, 1090: 311-316 (1991)
48. Fujita, H., Yamamoto, M., Yamagami, T., Hayashi, N., and Sassa, S.
Erythroleukemia differentiation. Distinctive responses of the erythroid-specific and the nonspecific δ -aminolevulinate synthase mRNA.
J. Biol. Chem., 266: 17494-17502 (1991)
49. Mitani, K., Fujita, H., Hayashi, N., Yamamoto, M., and Sassa, S.
Differential induction responses of δ -aminolevulinate synthase mRNAs during erythroid differentiation: Use of nonradioactive in situ hybridization.
Am. J. Hematol., 39: 63-64 (1992)
50. Yomogida, K., Yamamoto, M., Yamagami, T., Fujita, H., and Hayashi, N.
Structure and expression of the gene encoding rat nonspecific form δ -aminolevulinate synthase.
J. Biochem. (Tokyo), 113: 364-371 (1993)
51. Shiga, K., Shiga, C., Sasano, H., Miyazaki, S., Yamamoto, T., Yamamoto, M., Hayashi, N., Nishihira, T., and Mori, S.
Expression of c-erbB-2 in human esophageal carcinoma cells: Overexpression correlated with gene amplification or with GATA-3 transcription factor expression.
Anticancer Res., 13: 1293-1302 (1993)
52. Ohtsu, H., Yamauchi, K., Yoshie, O., Tanno, Y., Saito, H., Hayashi, N., and Takishima, T.
The effect of cytokines on the differentiation of an eosinophilic leukemia cell line (EoL-1) is associated with down regulation of c-myc gene expression.
Cell Struct. Funct., 18: 125-133 (1993)
53. Nakahashi, Y., Miyazaki, H., Kadota, Y., Naitoh, Y., Inoue, K., Yamamoto, M., Hayashi, N., and Taketani, S.
Molecular defect in human erythropoietic protoporphyria with fatal liver failure.
Hum. Genet., 91: 303-306 (1993)

54. Nakahashi, Y., Miyazaki, H., Kadota, Y., Naitoh, Y., Inoue, K., Yamamoto, M., Hayashi, N., and Taketani, S.
Human erythropoietic protoporphyria: Identification of a mutation at the splice donor site of intron 7 causing exon 7 skipping of the ferrochelatase gene.
Hum. Mol. Genet., 2: 1069–1070 (1993)
55. Munakata, H., Yamagami, T., Nagai, T., Yamamoto, M., and Hayashi, N.
Purification and structure of rat erythroid-specific δ -aminolevulinate synthase.
J. Biochem. (Tokyo), 114: 103–111 (1993)
56. Endo, K., Harigae, H., Nagai, T., Fujie, H., Meguro, K., Watanabe, N., Furuyama, K., Kameoka, J., Okuda, M., Hayashi, N., Yamamoto, M., and Abe, K.
Two chronic myelogenous leukaemia cell lines which represent different stages of erythroid differentiation.
Br. J. Haematol., 85: 653–662 (1993)
57. Yatsunami, K., Ohtsu, H., Tsuchikawa, M., Higuchi, T., Ishibashi, K., Shida, A., Shima, Y., Nakagawa, S., Yamauchi, K., Yamamoto, M., Hayashi, N., Watanabe, T., and Ichikawa, A.
Structure of the L-histidine decarboxylase gene.
J. Biol. Chem., 269: 1554–1559 (1994)
58. Tohgo, A., Takasawa, S., Munakata, H., Yonekura, H., Hayashi, N., and Okamoto, H.
Structural determination and characterization of a 40 kDa protein isolated from rat 40 S ribosomal subunit.
FEBS Lett., 340: 133–138 (1994)
59. Nagai, T., Harigae, H., Ishihara, H., Motohashi, H., Minegishi, N., Tsuchiya, S., Hayashi, N., Gu, L., Andres, B., Engel, J.D., and Yamamoto, M.
Transcription factor GATA-2 is expressed in erythroid, early myeloid, and CD 34⁺ human leukemia-derived cell lines.
Blood, 84: 1074–1084 (1994)
60. Minegishi, N., Minegishi, M., Tsuchiya, S., Fujie, H., Nagai, T., Hayashi, N., Yamamoto, M., and Konno, T.
Erythropoietin-dependent induction of hemoglobin synthesis in a cytokine-dependent cell line M-TAT.
J. Biol. Chem., 269: 27700–27704 (1994)

61. Igarashi, K., Kataoka, K., Itoh, K., Hayashi, N., Nishizawa, M., and Yamamoto, M.
Regulation of transcription by dimerization of erythroid factor NF-E2 p45 with small Maf proteins.
Nature, 367: 568–572 (1994)
62. Fukuda, I., Suzuki, T., Munakata, H., Hayashi, N., Katayama, E., Yoshikawa, M., and Sasakawa, C.
Cleavage of Shigella surface protein VirG occurs at a specific site, but the secretion is not essential for intracellular spreading.
J. Bacteriol., 177: 1719–1726 (1995)
63. Igarashi, K., Itoh, K., Hayashi, N., Nishizawa, M., and Yamamoto, M.
Conditional expression of the ubiquitous transcription factor MafK induces erythroleukemia cell differentiation.
Proc. Natl. Acad. Sci. USA, 92: 7445–7449 (1995)
64. Igarashi, K., Itoh, K., Motohashi, H., Hayashi, N., Matuzaki, Y., Nakauchi, H., Nishizawa, M., and Yamamoto, M.
Activity and expression of murine small Maf family protein MafK.
J. Biol. Chem., 270: 7615–7624 (1995)
65. Itoh, K., Igarashi, K., Hayashi, N., Nishizawa, M., and Yamamoto, M.
Cloning and characterization of a novel erythroid cell-derived CNC family transcription factor heterodimerizing with the small Maf family proteins.
Mol. Cell. Biol., 15: 4184–4193 (1995)
66. 林 典夫：
 ボルフィリン合成系と調節因子。
 日本臨床, 53: 1329–1337 (1995)
67. Oyake, T., Itoh, K., Motohashi, H., Hayashi, N., Hoshino, H., Nishizawa, M., Yamamoto, M., Igarashi, K.
Bach proteins belong to a novel family of BTB-basic leucine zipper transcription factors that interact with MafK and regulate transcription through the NF-E2 site.
Mol. Cell. Biol., 16: 6083–6095, (1996)
68. Shimoyama, Y., Ohtaka, H., Nagata, N., Munakata, H., Hayashi, N., Ohtsuki, K.
Physiological correlation between glycyrrhizin, glycyrrhizin-binding lipox-ygenase and casein kinase II.
FEBS Lett., 391: 238–242, (1996)

69. Minegishi N; Morita S; Minegishi M; Tsuchiya S; Konno T; Hayashi N; Yamamoto M.
Expression of GATA transcription factors in myelogenous and lymphoblastic leukemia cells.
Int. J. Hematol., 65: 239–249 (1997)
70. Tohgo, A., Munakata, H., Takasawa, S., Nata, K., Akiyama, T., Hayashi, N., Okamoto, H.
Lysine 129 of CD38 (ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase) participates in the binding of ATP to inhibit the cyclic ADP-ribose hydrolase.
J. Biol. Chem., 272: 3879–3882 (1997)
71. Onodera, K., Yomogida, K., Suwabe, N., Takahashi, S., Muraosa, Y., Hayashi, N., Ito, E., Gu, L., Rassoulzadegan, M., Engel, J.D., Yamamoto, M.
Conserved structure, regulatory elements, and transcriptional regulation from the GATA-1 gene testis promoter.
J. Biochem. (Tokyo), 121: 251–263 (1997)
72. Nagai, T., Harigae, H., Furuyama, K., Munakata, H., Hayashi, N., Endo, K., Sassa, S., Yamamoto, M.
5-aminolevulinate synthase expression and hemoglobin synthesis in a human myelogenous leukemia cell line.
J. Biochem. (Tokyo), 121: 487–495 (1997)
73. Nagai, M., Nagai, T., Yamamoto, M., Goto, K., Bishop, T.R., Hayashi, N., Kondo, H., Seyama, Y., Kano, K., Fujita, H., Sassa, S.
Novel regulation of δ -aminolevulinate synthase in the rat Harderian gland.
Biochem. Pharmacol., 53: 643–650 (1997)
74. Onodera, K., Takahashi, S., Nishimura, S., Ohta, J., Motohashi, H., Yomogida, K., Hayashi, N., Engel, J.D., Yamamoto, M.
GATA-1 transcription is controlled by distinct regulatory mechanisms during primitive and definitive erythropoiesis.
Proc. Natl. Acad. Sci. USA, 94: 4487–4492 (1997)
75. Tanabe, A., Furukawa, T., Ogawa, Y., Yamamoto, M., Hayashi, N., Tokunaga, R., Taketani, S.
Involvement of the transcriptional factor GATA-1 in regulation of expression of coproporphyrinogen oxidase in mouse erythroleukemia cells.
Biochem. Biophys. Res. Commun., 233: 729–736 (1997)

76. Takahashi, S., Onodera, K., Motohashi, H., Suwabe, N., Hayashi, N., Yanai, N., Nabesima, Y., Yamamoto, M.
Arrest in primitive erythroid cell development caused by promoter-specific disruption of the GATA-1 gene.
J. Biol. Chem., 272: 12611-12615 (1997)
77. Furuyama, K., Fujita, H., Nagai, T., Yomogida, K., Munakata, H., Kondo, M., Kimura, A., Kuramoto, A., Hayashi, N., Yamamoto, M.
Pyridoxine refractory X-linked sideroblastic anemia caused by a point mutation in the erythroid 5-aminolevulinic synthase gene.
Blood, 90: 822-830 (1997)
78. Itoh, K., Chiba, T., Takahashi, S., Ishii, T., Igarashi, K., Katoh, Y., Oyake, T., Hayashi, N., Satoh, K., Hatayama, I., Yamamoto, M., Nabeshima, Y.
An Nrf2 small Maf heterodimer mediates the induction of phase II detoxifying enzyme genes through antioxidant response elements.
Biochem. Biophys. Res. Commun., 236: 313-322 (1997)
79. Furuyama, K., Uno, R., Urabe, A., Hayashi, N., Fujita, H., Kondo, M., Sassa, S., Yamamoto, M.
R411C mutation of the ALAS2 gene encodes a pyridoxine-responsive enzyme with low activity.
British J. Haematol., 103: 839-841 (1998)
80. Muto, A., Hoshino, H., Madisen, L., Yanai, N., Obinata, M., Karasuyama, H., Hayashi, N., Nakauchi, H., Yamamoto, M., Groudine, M., Igarashi, K.
Identification of Bach2 as a B-cell-specific partner for small Maf proteins that negatively regulate the immunoglobulin heavy chain gene 3' enhancer.
EMBO J., 17: 5734-3743 (1998)
81. Takahashi, S., Taketani, S., Akasaka, J., Kobayashi, A., Hayashi, N., Yamamoto, M., Nagai, T.
Differential regulation of coproporphyrinogen oxidase gene between erythroid and nonerythroid cells.
Blood, 92: 3436-3444 (1998)
82. Minegishi, N., Ohta, J., Suwabe, N., Nakauchi, H., Ishihara, H., Hayashi, N., Yamamoto, M.
Alternative promoters regulate transcription of the mouse GATA-2 gene.
J. Biol. Chem., 273: 3625-3634 (1998)
83. Nagai, T., Igarashi, K., Akasaka, J., Furuyama, K., Fujita, H., Hayashi, N., Yamamoto, M., Sassa, S.
Regulation of NF-E2 activity in erythroleukemia cell differentiation.
J. Biol. Chem., 273: 5358-5365 (1998)

84. Kobayashi, A., Ito, E., Toki, T., Kogame, K., Takahashi, S., Igarashi, K., Hayashi, N., Yamamoto, M.
Molecular cloning and functional characterization of a new CNC family transcription factor Nrf3.
J. Biol. Chem., 274: 6443–6452 (1999)
85. Minegishi, N., Ohta, J., Yamagiwa, H., Suzuki, N., Kawauchi, S., Zhou, Y., Takahashi, S., Hayashi, N., Engel, J.D., Yamamoto, M.
The mouse GATA-2 gene is expressed in the para-aortic splanchnopleura and aorta-gonad-mesonephros region.
Blood, 93: 4196–4207 (1999)
86. Harigae, H., Furuyama, K., Kimura, A., Neriishi, K., Tahara, N., Kondo, M., Hayashi, N., Yamamoto, M., Sassa, S., Sasaki, T.
A novel mutation of the erythroid-specific δ -aminolaevulinate synthase gene in a patient with X-linked sideroblastic anaemia.
Br. J. Haematol., 106: 175–177 (1999)
87. Furuyama, K., Kondo, M., Fujita, H., Hayashi, N., Anderson, K.E., Sassa, S.
Absence of C282Y and H63D mutations of the hemochromatosis gene in Japanese patients with sideroblastic anemia.
Am. J. Hematol., 61: 276 (1999)
88. Harigae, H., Furuyama, K., Kudo, K., Hayashi, N., Yamamoto, M., Sassa, S., Sasaki, T.
A novel mutation of the erythroid-specific δ -aminolevulinate synthase gene in a patient with non-inherited pyridoxine-responsive sideroblastic anemia.
Am. J. Hematol., 62: 112–114 (1999)
89. Nakajima, O., Takahashi, S., Harigae, H., Furuyama, K., Hayashi, N., Sassa, S., Yamamoto, M.
Heme deficiency in erythroid lineage causes differentiation arrest and cytoplasmic iron overload.
EMBO J., 18: 6282–6289 (1999)
90. Yoshida, C., Tokumatsu, F., Hohmura, K.I., Bungert, J., Hayashi, N., Nagasawa, T., Engel, J.D., Yamamoto, M., Takeyasu, K., Igarashi, K.
Long range interaction of cis-DNA elements mediated by architectural transcription factor Bach1.
Gene Cells, 4: 643–655 (1999)

91. Kobayashi, A., Yamagiwa, H., Hoshino, H., Muto, A., Sato, K., Morita, M., Hayashi, N., Yamamoto, M., Igarashi, K.
A combinatorial code for gene expression generated by transcription factor Bach2 and MAZR (MAZ- related factor) through BTB/POZ domain.
Mol. Cell. Biol., 20: 1733–1746 (2000)
92. Hoshino, H., Kobayashi, A., Yoshida, M., Yoshida, M., Kudo, N., Oyake, T., Motohashi, H., Hayashi, N., Yamamoto, M., Igarashi, K.
Oxidative strss abolishes leptomycin B-sensitive nuclear export of transcription repressor Bach2 that counteracts activation of Maf recognition element.
J. Biol. Chem. (印刷中)

